

TULO

EE-TL15



15W



2700K/  
3000K



1499 lm



15°/25°/40°



dimmable  
TRIAC

TECHNICAL FEATURES


|                 |                      |
|-----------------|----------------------|
| Power           | 15W                  |
| Input current   | 100-240 Vac          |
| Dimmable        | Triac, optional dali |
| IP rating       | 20                   |
| Max. amb. Temp. | 45°C                 |


LIGHTING CHARACTERISTICS

|              |               |
|--------------|---------------|
| Light color  | 2700/3000 K   |
| Beam angle   | 15°/25°/40°   |
| CRI          | RA90+         |
| Lumen output | 1499 lm       |
| LEDtype      | CREE CXA 1507 |


MEASUREMENTS AND MATERIAL FEATURES

|                 |                  |
|-----------------|------------------|
| Measurements    | 185 x 84,5 mm    |
| Material        | aluminium        |
| Color housing   | black/white      |
| Color innerring | black/white/gold |






TULO 15 - beam angle 15°



TULO 15 - beam angle 25°



TULO 15 - beam angle 40°

| PRODUCTTYPE   | POWER     | LIGHT COLOR | BEAM ANGLE  | COLOR HOUSING | COLOR INNERRING   |
|---------------|-----------|-------------|-------------|---------------|-------------------|
| <b>EE- TL</b> | <b>15</b> | <b>/ 27</b> | <b>- 25</b> | <b>B</b>      | <b>G</b>          |
| TULO          | WATT      | KELVIN      | °           | BLACK/WHITE   | BLACK/WHITE /GOLD |

|                 |   |
|-----------------|---|
| EE-TL15/27-15BB | Tulo 15W , 2700°K, 15°, behuizing zwart, binnenring zwart |
| EE-TL15/27-15BW | Tulo 15W , 2700°K, 15°, behuizing zwart, binnenring wit   |
| EE-TL15/27-15BG | Tulo 15W , 2700°K, 15°, behuizing zwart, binnenring goud  |
| EE-TL15/27-15WB | Tulo 15W , 2700°K, 15°, behuizing wit, binnenring zwart   |
| EE-TL15/27-15WW | Tulo 15W , 2700°K, 15°, behuizing wit, binnenring wit     |
| EE-TL15/27-15WG | Tulo 15W , 2700°K, 15°, behuizing wit, binnenring goud    |
| EE-TL15/27-25BB | Tulo 15W , 2700°K, 25°, behuizing zwart, binnenring zwart |
| EE-TL15/27-25BW | Tulo 15W , 2700°K, 25°, behuizing zwart, binnenring wit   |
| EE-TL15/27-25BG | Tulo 15W , 2700°K, 25°, behuizing zwart, binnenring goud  |
| EE-TL15/27-25WB | Tulo 15W , 2700°K, 25°, behuizing wit, binnenring zwart   |
| EE-TL15/27-25WW | Tulo 15W , 2700°K, 25°, behuizing wit, binnenring wit     |
| EE-TL15/27-25WG | Tulo 15W , 2700°K, 25°, behuizing wit, binnenring goud    |
| EE-TL15/27-40BB | Tulo 15W , 2700°K, 40°, behuizing zwart, binnenring zwart |
| EE-TL15/27-40BW | Tulo 15W , 2700°K, 40°, behuizing zwart, binnenring wit   |
| EE-TL15/27-40BG | Tulo 15W , 2700°K, 40°, behuizing zwart, binnenring goud  |
| EE-TL15/27-40WB | Tulo 15W , 2700°K, 40°, behuizing wit, binnenring zwart   |
| EE-TL15/27-40WW | Tulo 15W , 2700°K, 40°, behuizing wit, binnenring wit     |
| EE-TL15/27-40WG | Tulo 15W , 2700°K, 40°, behuizing wit, binnenring goud    |
| EE-TL15/30-15BB | Tulo 15W , 3000°K, 15°, behuizing zwart, binnenring zwart |
| EE-TL15/30-15BW | Tulo 15W , 3000°K, 15°, behuizing zwart, binnenring wit   |
| EE-TL15/30-15BG | Tulo 15W , 3000°K, 15°, behuizing zwart, binnenring goud  |
| EE-TL15/30-15WB | Tulo 15W , 3000°K, 15°, behuizing wit, binnenring zwart   |
| EE-TL15/30-15WW | Tulo 15W , 3000°K, 15°, behuizing wit, binnenring wit     |
| EE-TL15/30-15WG | Tulo 15W , 3000°K, 15°, behuizing wit, binnenring goud    |
| EE-TL15/30-25BB | Tulo 15W , 3000°K, 25°, behuizing zwart, binnenring zwart |
| EE-TL15/30-25BW | Tulo 15W , 3000°K, 25°, behuizing zwart, binnenring wit   |
| EE-TL15/30-25BG | Tulo 15W , 3000°K, 25°, behuizing zwart, binnenring goud  |
| EE-TL15/30-25WB | Tulo 15W , 3000°K, 25°, behuizing wit, binnenring zwart   |
| EE-TL15/30-25WW | Tulo 15W , 3000°K, 25°, behuizing wit, binnenring wit     |
| EE-TL15/30-25WG | Tulo 15W , 3000°K, 25°, behuizing wit, binnenring goud    |
| EE-TL15/30-40BB | Tulo 15W , 3000°K, 40°, behuizing zwart, binnenring zwart |
| EE-TL15/30-40BW | Tulo 15W , 3000°K, 40°, behuizing zwart, binnenring wit   |
| EE-TL15/30-40BG | Tulo 15W , 3000°K, 40°, behuizing zwart, binnenring goud  |
| EE-TL15/30-40WB | Tulo 15W , 3000°K, 40°, behuizing wit, binnenring zwart   |
| EE-TL15/30-40WW | Tulo 15W , 3000°K, 40°, behuizing wit, binnenring wit     |
| EE-TL15/30-40WG | Tulo 15W , 3000°K, 40°, behuizing wit, binnenring goud    |

**. TL15 DALI**

|                    |   |
|--------------------|---|
| EE-TL15/27-15BB-DA | Tulo 15W , 2700°K, 15°, behuizing zwart, binnenring zwart, Dali |
| EE-TL15/27-15BW-DA | Tulo 15W , 2700°K, 15°, behuizing zwart, binnenring wit, Dali   |
| EE-TL15/27-15BG-DA | Tulo 15W , 2700°K , 15°, behuizing zwart, binnenring goud, Dali |
| EE-TL15/27-15WB-DA | Tulo 15W , 2700°K, 15°, behuizing wit, binnenring zwart, Dali   |
| EE-TL15/27-15WW-DA | Tulo 15W , 2700°K, 15°, behuizing wit, binnenring wit, Dali     |
| EE-TL15/27-15WG-DA | Tulo 15W , 2700°K, 15°, behuizing wit, binnenring goud, Dali    |
| EE-TL15/27-25BB-DA | Tulo 15W , 2700°K, 25°, behuizing zwart, binnenring zwart, Dali |
| EE-TL15/27-25BW-DA | Tulo 15W , 2700°K, 25°, behuizing zwart, binnenring wit, Dali   |
| EE-TL15/27-25BG-DA | Tulo 15W , 2700°K , 25°, behuizing zwart, binnenring goud, Dali |
| EE-TL15/27-25WB-DA | Tulo 15W , 2700°K, 25°, behuizing wit, binnenring zwart, Dali   |
| EE-TL15/27-25WW-DA | Tulo 15W , 2700°K, 25°, behuizing wit, binnenring wit, Dali     |
| EE-TL15/27-25WG-DA | Tulo 15W , 2700°K, 25°, behuizing wit, binnenring goud, Dali    |
| EE-TL15/27-40BB-DA | Tulo 15W , 2700°K, 40°, behuizing zwart, binnenring zwart, Dali |
| EE-TL15/27-40BW-DA | Tulo 15W , 2700°K, 40°, behuizing zwart, binnenring wit, Dali   |
| EE-TL15/27-40BG-DA | Tulo 15W , 2700°K, 40°, behuizing zwart, binnenring goud, Dali  |
| EE-TL15/27-40WB-DA | Tulo 15W , 2700°K, 40°, behuizing wit, binnenring zwart, Dali   |
| EE-TL15/27-40WW-DA | Tulo 15W , 2700°K, 40°, behuizing wit, binnenring wit, Dali     |
| EE-TL15/27-40WG-DA | Tulo 15W , 2700°K, 40°, behuizing wit, binnenring goud, Dali    |
| EE-TL15/30-15BB-DA | Tulo 15W , 3000°K, 15°, behuizing zwart, binnenring zwart, Dali |
| EE-TL15/30-15BW-DA | Tulo 15W , 3000°K, 15°, behuizing zwart, binnenring wit, Dali   |
| EE-TL15/30-15BG-DA | Tulo 15W , 3000°K , 15°, behuizing zwart, binnenring goud, Dali |
| EE-TL15/30-15WB-DA | Tulo 15W , 3000°K, 15°, behuizing wit, binnenring zwart, Dali   |
| EE-TL15/30-15WW-DA | Tulo 15W , 3000°K, 15°, behuizing wit, binnenring wit, Dali     |
| EE-TL15/30-15WG-DA | Tulo 15W , 3000°K, 15°, behuizing wit, binnenring goud, Dali    |
| EE-TL15/30-25BB-DA | Tulo 15W , 3000°K, 25°, behuizing zwart, binnenring zwart, Dali |
| EE-TL15/30-25BW-DA | Tulo 15W , 3000°K, 25°, behuizing zwart, binnenring wit, Dali   |
| EE-TL15/30-25BG-DA | Tulo 15W , 3000°K , 25°, behuizing zwart, binnenring goud, Dali |
| EE-TL15/30-25WB-DA | Tulo 15W , 3000°K, 25°, behuizing wit, binnenring zwart, Dali   |
| EE-TL15/30-25WW-DA | Tulo 15W , 3000°K, 25°, behuizing wit, binnenring wit, Dali     |
| EE-TL15/30-25WG-DA | Tulo 15W , 3000°K, 25°, behuizing wit, binnenring goud, Dali    |
| EE-TL15/30-40BB-DA | Tulo 15W , 3000°K, 40°, behuizing zwart, binnenring zwart, Dali |
| EE-TL15/30-40BW-DA | Tulo 15W , 3000°K, 40°, behuizing zwart, binnenring wit, Dali   |
| EE-TL15/30-40BG-DA | Tulo 15W , 3000°K, 40°, behuizing zwart, binnenring goud, Dali  |
| EE-TL15/30-40WB-DA | Tulo 15W , 3000°K, 40°, behuizing wit, binnenring zwart, Dali   |
| EE-TL15/30-40WW-DA | Tulo 15W , 3000°K, 40°, behuizing wit, binnenring wit, Dali     |
| EE-TL15/30-40WG-DA | Tulo 15W , 3000°K, 40°, behuizing wit, binnenring goud, Dali    |