


Downlight

EE-DLY10



9W



2700K/
3000/4000K



986 lm



25/40/60°



optional
DALI

TECHNICAL FEATURES



Power	9W
Input current	220-240 Vac
Dimmable	Optional DALI
IP rating	40, (optional IP54)
Max. amb. Temp.	45°C


LIGHTING CHARACTERISTICS

Light color	2700/3000/4000K
Beam angle	25°/40°/60°
CRI	RA90+
Lumen output	986 lm
LEDtype	CREE
Lifetime	L80B10 50000h
SDCM	3

MEASUREMENTS AND MATERIAL FEATURES


Measurements	100 x 76 mm
Material	aluminium
Color outerring	black/white
Color innerring	black/gray





DLY10 - beam angle 40°

DLY10 - beam angle 25°



DLY10 - beam angle 60°

PRODUCTTYPE	POWER	LIGHT COLOR	BEAM ANGLE	COLOR OUTERRING	COLOR INNERRING
EE-DLY	10 / 27	- 25	B	B	
DOWNLIGHT	WATT	KELVIN	°	BLACK/WHITE	BLACK/GRAY

. DLY10

EE-DLY10/27-25BB	10W, 2700K, 25°, Zwart zwart
EE-DLY10/27-25BG	10W, 2700K, 25°, Zwart goud
EE-DLY10/27-25WB	10W, 2700K, 25°, Wit zwart
EE-DLY10/27-25WG	10W, 2700K, 25°, Wit goud
EE-DLY10/30-25BB	10W, 3000K, 25°, Zwart zwart
EE-DLY10/30-25BG	10W, 3000K, 25°, Zwart goud
EE-DLY10/30-25WB	10W, 3000K, 25°, Wit zwart
EE-DLY10/30-25WG	10W, 3000K, 25°, Wit goud
EE-DLY10/40-25BB	10W, 4000K, 25°, Zwart zwart
EE-DLY10/40-25BG	10W, 4000K, 25°, Zwart goud
EE-DLY10/40-25WB	10W, 4000K, 25°, Wit zwart
EE-DLY10/40-25WG	10W, 4000K, 25°, Wit goud
EE-DLY10/27-40BB	10W, 2700K, 40°, Zwart zwart
EE-DLY10/27-40BG	10W, 2700K, 40°, Zwart goud
EE-DLY10/27-40WB	10W, 2700K, 40°, Wit zwart
EE-DLY10/27-40WG	10W, 2700K, 40°, Wit goud
EE-DLY10/30-40BB	10W, 3000K, 40°, Zwart zwart
EE-DLY10/30-40BG	10W, 3000K, 40°, Zwart goud
EE-DLY10/30-40WB	10W, 3000K, 40°, Wit zwart
EE-DLY10/30-40WG	10W, 3000K, 40°, Wit goud
EE-DLY10/40-40BB	10W, 4000K, 40°, Zwart zwart
EE-DLY10/40-40BG	10W, 4000K, 40°, Zwart goud
EE-DLY10/40-40WB	10W, 4000K, 40°, Wit zwart
EE-DLY10/40-40WG	10W, 4000K, 40°, Wit goud
EE-DLY10/27-60BB	10W, 2700K, 60°, Zwart zwart
EE-DLY10/27-60BG	10W, 2700K, 60°, Zwart goud
EE-DLY10/27-60WB	10W, 2700K, 60°, Wit zwart
EE-DLY10/27-60WG	10W, 2700K, 60°, Wit goud
EE-DLY10/30-60BB	10W, 3000K, 60°, Zwart zwart
EE-DLY10/30-60BG	10W, 3000K, 60°, Zwart goud
EE-DLY10/30-60WB	10W, 3000K, 60°, Wit zwart
EE-DLY10/30-60WG	10W, 3000K, 60°, Wit goud
EE-DLY10/40-60BB	10W, 4000K, 60°, Zwart zwart
EE-DLY10/40-60BG	10W, 4000K, 60°, Zwart goud
EE-DLY10/40-60WB	10W, 4000K, 60°, Wit zwart
EE-DLY10/40-60WG	10W, 4000K, 60°, Wit goud

. DLY10 IP54

EE-DLY10/27-25BB-IP54	10W, 2700K, 25°, Zwart zwart, IP54
EE-DLY10/27-25BG-IP54	10W, 2700K, 25°, Zwart goud, IP54
EE-DLY10/27-25WB-IP54	10W, 2700K, 25°, Wit zwart, IP54
EE-DLY10/27-25WG-IP54	10W, 2700K, 25°, Wit goud, IP54
EE-DLY10/30-25BB-IP54	10W, 3000K, 25°, Zwart zwart, IP54
EE-DLY10/30-25BG-IP54	10W, 3000K, 25°, Zwart goud, IP54
EE-DLY10/30-25WB-IP54	10W, 3000K, 25°, Wit zwart, IP54
EE-DLY10/30-25WG-IP54	10W, 3000K, 25°, Wit goud, IP54
EE-DLY10/40-25BB-IP54	10W, 4000K, 25°, Zwart zwart, IP54
EE-DLY10/40-25BG-IP54	10W, 4000K, 25°, Zwart goud, IP54
EE-DLY10/40-25WB-IP54	10W, 4000K, 25°, Wit zwart, IP54
EE-DLY10/40-25WG-IP54	10W, 4000K, 25°, Wit goud, IP54
EE-DLY10/27-40BB-IP54	10W, 2700K, 40°, Zwart zwart, IP54
EE-DLY10/27-40BG-IP54	10W, 2700K, 40°, Zwart goud, IP54
EE-DLY10/27-40WB-IP54	10W, 2700K, 40°, Wit zwart, IP54
EE-DLY10/27-40WG-IP54	10W, 2700K, 40°, Wit goud, IP54
EE-DLY10/30-40BB-IP54	10W, 3000K, 40°, Zwart zwart, IP54
EE-DLY10/30-40BG-IP54	10W, 3000K, 40°, Zwart goud, IP54
EE-DLY10/30-40WB-IP54	10W, 3000K, 40°, Wit zwart, IP54
EE-DLY10/30-40WG-IP54	10W, 3000K, 40°, Wit goud, IP54
EE-DLY10/40-40BB-IP54	10W, 4000K, 40°, Zwart zwart, IP54
EE-DLY10/40-40BG-IP54	10W, 4000K, 40°, Zwart goud, IP54
EE-DLY10/40-40WB-IP54	10W, 4000K, 40°, Wit zwart, IP54
EE-DLY10/40-40WG-IP54	10W, 4000K, 40°, Wit goud, IP54
EE-DLY10/27-60BB-IP54	10W, 2700K, 60°, Zwart zwart, IP54
EE-DLY10/27-60BG-IP54	10W, 2700K, 60°, Zwart goud, IP54
EE-DLY10/27-60WB-IP54	10W, 2700K, 60°, Wit zwart, IP54
EE-DLY10/27-60WG-IP54	10W, 2700K, 60°, Wit goud, IP54
EE-DLY10/30-60BB-IP54	10W, 3000K, 60°, Zwart zwart, IP54
EE-DLY10/30-60BG-IP54	10W, 3000K, 60°, Zwart goud, IP54
EE-DLY10/30-60WB-IP54	10W, 3000K, 60°, Wit zwart, IP54
EE-DLY10/30-60WG-IP54	10W, 3000K, 60°, Wit goud, IP54
EE-DLY10/40-60BB-IP54	10W, 4000K, 60°, Zwart zwart, IP54
EE-DLY10/40-60BG-IP54	10W, 4000K, 60°, Zwart goud, IP54
EE-DLY10/40-60WB-IP54	10W, 4000K, 60°, Wit zwart, IP54
EE-DLY10/40-60WG-IP54	10W, 4000K, 60°, Wit goud, IP54

. DLY10 DALI

EE-DLY10/27-25BB-DA	10W, 2700K, 25°, Zwart zwart, Dali
EE-DLY10/27-25BG-DA	10W, 2700K, 25°, Zwart goud, Dali
EE-DLY10/27-25WB-DA	10W, 2700K, 25°, Wit zwart, Dali
EE-DLY10/27-25WG-DA	10W, 2700K, 25°, Wit goud, Dali
EE-DLY10/30-25BB-DA	10W, 3000K, 25°, Zwart zwart, Dali
EE-DLY10/30-25BG-DA	10W, 3000K, 25°, Zwart goud, Dali
EE-DLY10/30-25WB-DA	10W, 3000K, 25°, Wit zwart, Dali
EE-DLY10/30-25WG-DA	10W, 3000K, 25°, Wit goud, Dali
EE-DLY10/40-25BB-DA	10W, 4000K, 25°, Zwart zwart, Dali
EE-DLY10/40-25BG-DA	10W, 4000K, 25°, Zwart goud, Dali
EE-DLY10/40-25WB-DA	10W, 4000K, 25°, Wit zwart, Dali
EE-DLY10/40-25WG-DA	10W, 4000K, 25°, Wit goud, Dali
EE-DLY10/27-40BB-DA	10W, 2700K, 40°, Zwart zwart, Dali
EE-DLY10/27-40BG-DA	10W, 2700K, 40°, Zwart goud, Dali
EE-DLY10/27-40WB-DA	10W, 2700K, 40°, Wit zwart, Dali
EE-DLY10/27-40WG-DA	10W, 2700K, 40°, Wit goud, Dali
EE-DLY10/30-40BB-DA	10W, 3000K, 40°, Zwart zwart, Dali
EE-DLY10/30-40BG-DA	10W, 3000K, 40°, Zwart goud, Dali
EE-DLY10/30-40WB-DA	10W, 3000K, 40°, Wit zwart, Dali
EE-DLY10/30-40WG-DA	10W, 3000K, 40°, Wit goud, Dali
EE-DLY10/40-40BB-DA	10W, 4000K, 40°, Zwart zwart, Dali
EE-DLY10/40-40BG-DA	10W, 4000K, 40°, Zwart goud, Dali
EE-DLY10/40-40WB-DA	10W, 4000K, 40°, Wit zwart, Dali
EE-DLY10/40-40WG-DA	10W, 4000K, 40°, Wit goud, Dali
EE-DLY10/27-60BB-DA	10W, 2700K, 60°, Zwart zwart, Dali
EE-DLY10/27-60BG-DA	10W, 2700K, 60°, Zwart goud, Dali
EE-DLY10/27-60WB-DA	10W, 2700K, 60°, Wit zwart, Dali
EE-DLY10/27-60WG-DA	10W, 2700K, 60°, Wit goud, Dali
EE-DLY10/30-60BB-DA	10W, 3000K, 60°, Zwart zwart, Dali
EE-DLY10/30-60BG-DA	10W, 3000K, 60°, Zwart goud, Dali
EE-DLY10/30-60WB-DA	10W, 3000K, 60°, Wit zwart, Dali
EE-DLY10/30-60WG-DA	10W, 3000K, 60°, Wit goud, Dali
EE-DLY10/40-60BB-DA	10W, 4000K, 60°, Zwart zwart, Dali
EE-DLY10/40-60BG-DA	10W, 4000K, 60°, Zwart goud, Dali
EE-DLY10/40-60WB-DA	10W, 4000K, 60°, Wit zwart, Dali
EE-DLY10/40-60WG-DA	10W, 4000K, 60°, Wit goud, Dali

. DLY10 DALI IP54

EE-DLY10/27-25BB-DA-IP54	10W, 2700K, 25°, Zwart zwart, Dali, IP54
EE-DLY10/27-25BG-DA-IP54	10W, 2700K, 25°, Zwart goud, Dali, IP54
EE-DLY10/27-25WB-DA-IP54	10W, 2700K, 25°, Wit zwart, Dali, IP54
EE-DLY10/27-25WG-DA-IP54	10W, 2700K, 25°, Wit goud, Dali, IP54
EE-DLY10/30-25BB-DA-IP54	10W, 3000K, 25°, Zwart zwart, Dali, IP54
EE-DLY10/30-25BG-DA-IP54	10W, 3000K, 25°, Zwart goud, Dali, IP54
EE-DLY10/30-25WB-DA-IP54	10W, 3000K, 25°, Wit zwart, Dali, IP54
EE-DLY10/30-25WG-DA-IP54	10W, 3000K, 25°, Wit goud, Dali, IP54
EE-DLY10/40-25BB-DA-IP54	10W, 4000K, 25°, Zwart zwart, Dali, IP54
EE-DLY10/40-25BG-DA-IP54	10W, 4000K, 25°, Zwart goud, Dali, IP54
EE-DLY10/40-25WB-DA-IP54	10W, 4000K, 25°, Wit zwart, Dali, IP54
EE-DLY10/40-25WG-DA-IP54	10W, 4000K, 25°, Wit goud, Dali, IP54
EE-DLY10/27-40BB-DA-IP54	10W, 2700K, 40°, Zwart zwart, Dali, IP54
EE-DLY10/27-40BG-DA-IP54	10W, 2700K, 40°, Zwart goud, Dali, IP54
EE-DLY10/27-40WB-DA-IP54	10W, 2700K, 40°, Wit zwart, Dali, IP54
EE-DLY10/27-40WG-DA-IP54	10W, 2700K, 40°, Wit goud, Dali, IP54
EE-DLY10/30-40BB-DA-IP54	10W, 3000K, 40°, Zwart zwart, Dali, IP54
EE-DLY10/30-40BG-DA-IP54	10W, 3000K, 40°, Zwart goud, Dali, IP54
EE-DLY10/30-40WB-DA-IP54	10W, 3000K, 40°, Wit zwart, Dali, IP54
EE-DLY10/30-40WG-DA-IP54	10W, 3000K, 40°, Wit goud, Dali, IP54
EE-DLY10/40-40BB-DA-IP54	10W, 4000K, 40°, Zwart zwart, Dali, IP54
EE-DLY10/40-40BG-DA-IP54	10W, 4000K, 40°, Zwart goud, Dali, IP54
EE-DLY10/40-40WB-DA-IP54	10W, 4000K, 40°, Wit zwart, Dali, IP54
EE-DLY10/40-40WG-DA-IP54	10W, 4000K, 40°, Wit goud, Dali, IP54
EE-DLY10/27-60BB-DA-IP54	10W, 2700K, 60°, Zwart zwart, Dali, IP54
EE-DLY10/27-60BG-DA-IP54	10W, 2700K, 60°, Zwart goud, Dali, IP54
EE-DLY10/27-60WB-DA-IP54	10W, 2700K, 60°, Wit zwart, Dali, IP54
EE-DLY10/27-60WG-DA-IP54	10W, 2700K, 60°, Wit goud, Dali, IP54
EE-DLY10/30-60BB-DA-IP54	10W, 3000K, 60°, Zwart zwart, Dali, IP54
EE-DLY10/30-60BG-DA-IP54	10W, 3000K, 60°, Zwart goud, Dali, IP54
EE-DLY10/30-60WB-DA-IP54	10W, 3000K, 60°, Wit zwart, Dali, IP54
EE-DLY10/30-60WG-DA-IP54	10W, 3000K, 60°, Wit goud, Dali, IP54
EE-DLY10/40-60BB-DA-IP54	10W, 4000K, 60°, Zwart zwart, Dali, IP54
EE-DLY10/40-60BG-DA-IP54	10W, 4000K, 60°, Zwart goud, Dali, IP54
EE-DLY10/40-60WB-DA-IP54	10W, 4000K, 60°, Wit zwart, Dali, IP54
EE-DLY10/40-60WG-DA-IP54	10W, 4000K, 60°, Wit goud, Dali, IP54