

11W



2700K/
3000K



884 lm



25°/40°



dimmable
TRIAC

TECHNICAL FEATURES




Power	11W
Input current	100-240 Vac
Dimmable	Triac, optional Dali
IP rating	40
Max. amb. Temp.	45°C


LIGHTING CHARACTERISTICS

Light color	2700/3000K
Beam angle	25°/40°
CRI	RA90+
Lumen output	884lm
LEDtype	CREE
Lifetime	L80B10 50000h
SDCM	3


MEASUREMENTS AND MATERIAL FEATURES

Measurements	89,6 x 82,2 mm
Material	aluminium
Color outerring	Black/white
Color innerring	Black/white/gold
Adjustable	Optional





CETE11 - beam angle 25°



CETE11 - beam angle 40°

PRODUCTTYPE	POWER	LIGHT COLOR	BEAM ANGLE	COLOR OUTERRING
EE- CETE(A)	11	/ 27	- 25	B
CONCEPT E TRIMLESS EDGE	WATT	KELVIN	°	BLACK/WHITE

. TRIMLESS EDGE

EE-CETE11/27-25W	Trimless Edge Vast 11W 2700°K 25° Wit
EE-CETE11/27-25WB	Trimless Edge Vast 11W 2700°K 25° Wit/Zwart
EE-CETE11/27-25WG	Trimless Edge Vast 11W 2700°K 25° Wit/Goud
EE-CETE11/27-40W	Trimless Edge Vast 11W 2700°K 40° Wit
EE-CETE11/27-40WB	Trimless Edge Vast 11W 2700°K 40° Wit/Zwart
EE-CETE11/27-40WG	Trimless Edge Vast 11W 2700°K 40° Wit/Goud
EE-CETE11/30-25W	Trimless Edge Vast 11W 3000°K 25° Wit
EE-CETE11/30-25WB	Trimless Edge Vast 11W 3000°K 25° Wit/Black
EE-CETE11/30-25WG	Trimless Edge Vast 11W 3000°K 25° Wit/Goud
EE-CETE11/30-40W	Trimless Edge Vast 11W 3000°K 40° Wit
EE-CETE11/30-40WB	Trimless Edge Vast 11W 3000°K 40° Wit/Zwart
EE-CETE11/30-40WG	Trimless Edge Vast 11W 3000°K 40° Wit/Goud

EE-CETEA11/27-25W	Trimless Edge Adjustable 11W 2700°K 25° Wit
EE-CETEA11/27-25WB	Trimless Edge Adjustable 11W 2700°K 25° Wit/Zwart
EE-CETEA11/27-25WG	Trimless Edge Adjustable 11W 2700°K 25° Wit/Goud
EE-CETEA11/27-40W	Trimless Edge Adjustable 11W 2700°K 40° Wit
EE-CETEA11/27-40WB	Trimless Edge Adjustable 11W 2700°K 40° Wit/Zwart
EE-CETEA11/27-40WG	Trimless Edge Adjustable 11W 2700°K 40° Wit/Goud
EE-CETEA11/30-25W	Trimless Edge Adjustable 11W 3000°K 25° Wit
EE-CETEA11/30-25WB	Trimless Edge Adjustable 11W 3000°K 25° Wit/Zwart
EE-CETEA11/30-25WG	Trimless Edge Adjustable 11W 3000°K 25° Wit/Goud
EE-CETEA11/30-40W	Trimless Edge Adjustable 11W 3000°K 40° Wit
EE-CETEA11/30-40WB	Trimless Edge Adjustable 11W 3000°K 40° Wit/Zwart
EE-CETEA11/30-40WG	Trimless Edge Adjustable 11W 3000°K 40° Wit/Goud

. TRIMLESS EDGE DALI

EE-CETE11/27-25W-DA	Trimless Edge Vast 11W 2700°K 25° Wit, Dali
EE-CETE11/27-25WB-DA	Trimless Edge Vast 11W 2700°K 25° Wit/Zwart, Dali
EE-CETE11/27-25WG-DA	Trimless Edge Vast 11W 2700°K 25° Wit/Goud, Dali
EE-CETE11/27-40W-DA	Trimless Edge Vast 11W 2700°K 40° Wit, Dali
EE-CETE11/27-40WB-DA	Trimless Edge Vast 11W 2700°K 40° Wit/Zwart, Dali
EE-CETE11/27-40WG-DA	Trimless Edge Vast 11W 2700°K 40° Wit/Goud, Dali
EE-CETE11/30-25W-DA	Trimless Edge Vast 11W 3000°K 25° Wit, Dali
EE-CETE11/30-25WB-DA	Trimless Edge Vast 11W 3000°K 25° Wit/Black, Dali
EE-CETE11/30-25WG-DA	Trimless Edge Vast 11W 3000°K 25° Wit/Goud, Dali
EE-CETE11/30-40W-DA	Trimless Edge Vast 11W 3000°K 40° Wit, Dali
EE-CETE11/30-40WB-DA	Trimless Edge Vast 11W 3000°K 40° Wit/Zwart, Dali
EE-CETE11/30-40WG-DA	Trimless Edge Vast 11W 3000°K 40° Wit/Goud, Dali

EE-CETEA11/27-25W-DA	Trimless Edge Adjustable 11W 2700°K 25° Wit, Dali
EE-CETEA11/27-25WB-DA	Trimless Edge Adjustable 11W 2700°K 25° Wit/Zwart, Dali
EE-CETEA11/27-25WG-DA	Trimless Edge Adjustable 11W 2700°K 25° Wit/Goud, Dali
EE-CETEA11/27-40W-DA	Trimless Edge Adjustable 11W 2700°K 40° Wit, Dali
EE-CETEA11/27-40WB-DA	Trimless Edge Adjustable 11W 2700°K 40° Wit/Zwart, Dali
EE-CETEA11/27-40WG-DA	Trimless Edge Adjustable 11W 2700°K 40° Wit/Goud, Dali
EE-CETEA11/30-25W-DA	Trimless Edge Adjustable 11W 3000°K 25° Wit, Dali
EE-CETEA11/30-25WB-DA	Trimless Edge Adjustable 11W 3000°K 25° Wit/Zwart, Dali
EE-CETEA11/30-25WG-DA	Trimless Edge Adjustable 11W 3000°K 25° Wit/Goud, Dali
EE-CETEA11/30-40W-DA	Trimless Edge Adjustable 11W 3000°K 40° Wit, Dali
EE-CETEA11/30-40WB-DA	Trimless Edge Adjustable 11W 3000°K 40° Wit/Zwart, Dali
EE-CETEA11/30-40WG-DA	Trimless Edge Adjustable 11W 3000°K 40° Wit/Goud, Dali

