




TUBELLO

EE-TB15



15W



2700K/
3000K



1499 lm



15°/25°/40°



dimmable
TRIAC

TECHNICAL FEATURES



Power	15W
Input current	220-240 Vac
Dimmable	Triac, optional dali
IP rating	20
Max. amb. Temp.	45°C


LIGHTING CHARACTERISTICS

Light color	2700/3000 K
Beam angle	15°/25°/40°
CRI	RA90+
Lumen output	1499 lm
LEDtype	CREE CXA 1507


MEASUREMENTS AND MATERIAL FEATURES

Measurements	154 x 84 mm
Material	aluminium
Color housing	black/white
Color innerring	black/white/gold






TUBELLO 15 - beam angle 15°



TUBELLO 15 - beam angle 25°



TUBELLO 15 - beam angle 40°

PRODUCTTYPE	POWER	LIGHT COLOR	BEAM ANGLE	COLOR HOUSING	COLOR INNERRING
EE- TB	15	/ 27	- 25	B	G
TUBELLO	WATT	KELVIN	°	BLACK/WHITE	BLACK/WHITE /GOLD

. TB15

EE-TB15/27-15BB	Tubello 15W CREE 2700°K, 15°, behuizing zwart, binnenring zwart
EE-TB15/27-15BW	Tubello 15W CREE 2700°K, 15°, behuizing zwart, binnenring wit
EE-TB15/27-15BG	Tubello 15W CREE 2700°K, 15°, behuizing zwart, binnenring goud
EE-TB15/27-15WB	Tubello 15W CREE 2700°K, 15°, behuizing wit, binnenring zwart
EE-TB15/27-15WW	Tubello 15W CREE 2700°K, 15°, behuizing wit, binnenring wit
EE-TB15/27-15WG	Tubello 15W CREE 2700°K, 15°, behuizing wit, binnenring goud
EE-TB15/27-25BB	Tubello 15W CREE 2700°K, 25°, behuizing zwart, binnenring zwart
EE-TB15/27-25BW	Tubello 15W CREE 2700°K, 25°, behuizing zwart, binnenring wit
EE-TB15/27-25BG	Tubello 15W CREE 2700°K, 25°, behuizing zwart, binnenring goud
EE-TB15/27-25WB	Tubello 15W CREE 2700°K, 25°, behuizing wit, binnenring zwart
EE-TB15/27-25WW	Tubello 15W CREE 2700°K, 25°, behuizing wit, binnenring wit
EE-TB15/27-25WG	Tubello 15W CREE 2700°K, 25°, behuizing wit, binnenring goud
EE-TB15/27-40BB	Tubello 15W CREE 2700°K, 40°, behuizing zwart, binnenring zwart
EE-TB15/27-40BW	Tubello 15W CREE 2700°K, 40°, behuizing zwart, binnenring wit
EE-TB15/27-40BG	Tubello 15W CREE 2700°K, 40°, behuizing zwart, binnenring goud
EE-TB15/27-40WB	Tubello 15W CREE 2700°K, 40°, behuizing wit, binnenring zwart
EE-TB15/27-40WW	Tubello 15W CREE 2700°K, 40°, behuizing wit, binnenring wit
EE-TB15/27-40WG	Tubello 15W CREE 2700°K, 40°, behuizing wit, binnenring goud
EE-TB15/30-15BB	Tubello 15W, 3000°K, 15°, behuizing zwart, binnenring zwart
EE-TB15/30-15BW	Tubello 15W, 3000°K, 15°, behuizing zwart, binnenring wit
EE-TB15/30-15BG	Tubello 15W, 3000°K, 15°, behuizing zwart, binnenring goud
EE-TB15/30-15WB	Tubello 15W, 3000°K, 15°, behuizing wit, binnenring zwart
EE-TB15/30-15WW	Tubello 15W, 3000°K, 15°, behuizing wit, binnenring wit
EE-TB15/30-15WG	Tubello 15W, 3000°K, 15°, behuizing wit, binnenring goud
EE-TB15/30-25BB	Tubello 15W, 3000°K, 25°, behuizing zwart, binnenring zwart
EE-TB15/30-25BW	Tubello 15W, 3000°K, 25°, behuizing zwart, binnenring wit
EE-TB15/30-25BG	Tubello 15W, 3000°K, 25°, behuizing zwart, binnenring goud
EE-TB15/30-25WB	Tubello 15W, 3000°K, 25°, behuizing wit, binnenring zwart
EE-TB15/30-25WW	Tubello 15W, 3000°K, 25°, behuizing wit, binnenring wit
EE-TB15/30-25WG	Tubello 15W, 3000°K, 25°, behuizing wit, binnenring goud
EE-TB15/30-40BB	Tubello 15W, 3000°K, 40°, behuizing zwart, binnenring zwart
EE-TB15/30-40BW	Tubello 15W, 3000°K, 40°, behuizing zwart, binnenring wit
EE-TB15/30-40BG	Tubello 15W, 3000°K, 40°, behuizing zwart, binnenring goud
EE-TB15/30-40WB	Tubello 15W, 3000°K, 40°, behuizing wit, binnenring zwart
EE-TB15/30-40WW	Tubello 15W, 3000°K, 40°, behuizing wit, binnenring wit
EE-TB15/30-40WG	Tubello 15W, 3000°K, 40°, behuizing wit, binnenring goud

. TB15 DALI

EE-TB15/27-15BB-DA	Tubello 15W CREE 2700°K, 15°, behuizing zwart, binnenring zwart, Dali
EE-TB15/27-15BW-DA	Tubello 15W CREE 2700°K, 15°, behuizing zwart, binnenring wit, Dali
EE-TB15/27-15BG-DA	Tubello 15W CREE 2700°K, 15°, behuizing zwart, binnenring goud, Dali
EE-TB15/27-15WB-DA	Tubello 15W CREE 2700°K, 15°, behuizing wit, binnenring zwart, Dali
EE-TB15/27-15WW-DA	Tubello 15W CREE 2700°K, 15°, behuizing wit, binnenring wit, Dali
EE-TB15/27-15WG-DA	Tubello 15W CREE 2700°K, 15°, behuizing wit, binnenring goud, Dali
EE-TB15/27-25BB-DA	Tubello 15W CREE 2700°K, 25°, behuizing zwart, binnenring zwart, Dali
EE-TB15/27-25BW-DA	Tubello 15W CREE 2700°K, 25°, behuizing zwart, binnenring wit, Dali
EE-TB15/27-25BG-DA	Tubello 15W CREE 2700°K, 25°, behuizing zwart, binnenring goud, Dali
EE-TB15/27-25WB-DA	Tubello 15W CREE 2700°K, 25°, behuizing wit, binnenring zwart, Dali
EE-TB15/27-25WW-DA	Tubello 15W CREE 2700°K, 25°, behuizing wit, binnenring wit, Dali
EE-TB15/27-25WG-DA	Tubello 15W CREE 2700°K, 25°, behuizing wit, binnenring goud, Dali
EE-TB15/27-40BB-DA	Tubello 15W CREE 2700°K, 40°, behuizing zwart, binnenring zwart, Dali
EE-TB15/27-40BW-DA	Tubello 15W CREE 2700°K, 40°, behuizing zwart, binnenring wit, Dali
EE-TB15/27-40BG-DA	Tubello 15W CREE 2700°K, 40°, behuizing zwart, binnenring goud, Dali
EE-TB15/27-40WB-DA	Tubello 15W CREE 2700°K, 40°, behuizing wit, binnenring zwart, Dali
EE-TB15/27-40WW-DA	Tubello 15W CREE 2700°K, 40°, behuizing wit, binnenring wit, Dali
EE-TB15/27-40WG-DA	Tubello 15W CREE 2700°K, 40°, behuizing wit, binnenring goud, Dali
EE-TB15/30-15BB-DA	Tubello 15W, 3000°K, 15°, behuizing zwart, binnenring zwart, Dali
EE-TB15/30-15BW-DA	Tubello 15W, 3000°K, 15°, behuizing zwart, binnenring wit, Dali
EE-TB15/30-15BG-DA	Tubello 15W, 3000°K, 15°, behuizing zwart, binnenring goud, Dali
EE-TB15/30-15WB-DA	Tubello 15W, 3000°K, 15°, behuizing wit, binnenring zwart, Dali
EE-TB15/30-15WW-DA	Tubello 15W, 3000°K, 15°, behuizing wit, binnenring wit, Dali
EE-TB15/30-15WG-DA	Tubello 15W, 3000°K, 15°, behuizing wit, binnenring goud, Dali
EE-TB15/30-25BB-DA	Tubello 15W, 3000°K, 25°, behuizing zwart, binnenring zwart, Dali
EE-TB15/30-25BW-DA	Tubello 15W, 3000°K, 25°, behuizing zwart, binnenring wit, Dali
EE-TB15/30-25BG-DA	Tubello 15W, 3000°K, 25°, behuizing zwart, binnenring goud, Dali
EE-TB15/30-25WB-DA	Tubello 15W, 3000°K, 25°, behuizing wit, binnenring zwart, Dali
EE-TB15/30-25WW-DA	Tubello 15W, 3000°K, 25°, behuizing wit, binnenring wit, Dali
EE-TB15/30-25WG-DA	Tubello 15W, 3000°K, 25°, behuizing wit, binnenring goud, Dali
EE-TB15/30-40BB-DA	Tubello 15W, 3000°K, 40°, behuizing zwart, binnenring zwart, Dali
EE-TB15/30-40BW-DA	Tubello 15W, 3000°K, 40°, behuizing zwart, binnenring wit, Dali
EE-TB15/30-40BG-DA	Tubello 15W, 3000°K, 40°, behuizing zwart, binnenring goud, Dali
EE-TB15/30-40WB-DA	Tubello 15W, 3000°K, 40°, behuizing wit, binnenring zwart, Dali
EE-TB15/30-40WW-DA	Tubello 15W, 3000°K, 40°, behuizing wit, binnenring wit, Dali
EE-TB15/30-40WG-DA	Tubello 15W, 3000°K, 40°, behuizing wit, binnenring goud, Dali